



330 Fairfield Road Fairfield, NJ 07004 www.eosnj.com PH: (973) 808-0100

# Simple and compact multifunctional printer for offices and homes




# **Light and Compact**

Due to its light and compact design, the device can be placed on the desk at a reachable distance to support your document tasks, whether you are in the office or working from home.



# Easy to Use



<sup>\*</sup>Image is for illustrative purposes only.

Descriptions may differ from the actual content due to page updates.

MA2000w 2

### Easy Setup and Support

Our Kyocera online download center, accessible 24/7, provides support videos for product setups, drivers installations and access to our free Client Tool utility. For easy access to the website, you can simply scan the QR code that is on the front of the printer from any smartphone or tablet.



\*Image is for illustrative purposes only.

Descriptions may differ from the actual content due to page updates.

# Additional Features Supporting Remote Work

The compact and lightweight design makes it easy to place and use from anywhere. The MA2000w All-In-One toner/developer design utilizes all the toner without any waste. Also, with energy saving EcoPrint Mode and Quiet Mode technology, you're environmentally being green with reduced noise. For IT managers who require printing and scanning activity by remote workers, log data can be saved and exported periodically.

MA2000w 3

#### **BASIC SPECIFICATIONS**

Configuration: Multifunctional Printer - Print/Copy/

Color Scan To Windows

Speed: Letter: Letter: 21 ppm; Legal: 17 ppm; A4: 20 ppm

Display: 2 digits LED

Warm Up Time: 20 Seconds or Less (Power On)

First Page Out Time:

Copy: 8 seconds or less Print: 8 seconds or less

Resolution: 600 x 600 dpi, Fast 1200 Interpolated Resolution

Memory: Std/Max: 64MB

Duplex: Manual operation

Dimensions/Weight: 14.6" W x 12.6" D x 9.4" H/13.7 lb.

Maximum Monthly Duty Cycle: 8,000 Pages per Month

#### POWER CONSUMPTION

Electrical Requirements: 120V, 60Hz, 5.6A;

220-240V, 50/60Hz, 3.1A

Typical Electricity Consumption (TEC): 120V:

0.23 kWh/week; 220-240V 0.23 kWh/week

Maximum Power Consumption: 120V: 662W; 220-240V: 705W

Copy: 120V: 320.5 W; 220-240V: 345.3 W Printing: 120V: 314.8 W; 220-240V: 341.1 W Ready Mode: 120V: 3.1W; 220-240V: 3.3W Sleep Mode: 120V: 0.4W; 220-240V: 0.4W Power Off: 120V: 0.1W; 220-240V: 0.2W

#### PRINTER SPECIFICATIONS

#### Standard Controller:

ST Micro: STM32G071RBT6 20MHz (Engine Processing), SOC: ARM926EJ equivalent 450MHz (System Processing)

PDLs/Emulations: Hostbased(GDI)

Fonts: Bitmap: 1 Font

**Drivers:** GX Driver, KPSL Drivers (MAC & Linux), Status Monitor, TWAIN Driver, WIA Driver

Windows Printing Compatability: GX driver supports: Windows 8.1 to Windows 11 both 32 and 64

bit, Windows Server 2012/R2, 2016, 2019, 2022

MAC & Linux Printing Compatability: KPSL drivers:

Mac OS X 10.5 up to OS X 10.15

Interfaces: Wireless, 1 High-Speed USB 2.0 Printer Port

Mobile Printing: KYOCERA Mobile Print (IOS/Android)

Network Print and Supported Protocols: TCP/IP, IPv4, LPR, Port9100, WIA Scan/Print (Only USB), DHCP, DNS

Utilities: Client Tool (Fax & Scan), Web Installer,

Maintenance Menu, Wireless Setup Tool

Additional Print Features: EcoPrint, ID Card Copy

#### SECURITY SPECIFICATION

Standard: Wireless WPA2-PSK (AES encryption)

#### SCAN SPECIFICATIONS (WINDOWS ONLY)

Scan Type: Color and Black & White Scanner
Scan Resolution: 200×200dpi 300×300dpi

(Default), 400×400dpi, 600×600dpi

**Client Tool Fuctions For Windows Scanning:** 

Scan to SMB. Scan to Email. Network TWAIN.

WIA Scanning (via USB and Client Tool)

File Formats: Support PDF, TIFF, JPEG, BMP,

PNG via Client Tool

Original Size: Min/Max:

Glass: Statement to Letter (5.5" x 8.5" - 8.5" x 11")

Max Original Size: Letter

#### COPY SPECIFICATIONS

Image Mode: Text + Photo, Photo, Text,

Density adjustment 7 steps

Continuous Copy: 1 – 99

Job Management: Program Key: Able to register 3 jobs Magnification/Zoom: 25 - 400% in 1% Step Increments Additional Features: EcoPrint, ID Card Copy, Quiet Mode

#### PAPER HANDLING

Standard Paper Sources: Single 150 Sheet Drawer

Standard/Maximum Paper Sources: 1

Standard/Maximum Paper Capacity:

150 Sheets/150 Sheets

Paper Size: A5 to Legal (8.5" x 14")

**Paper Weight:** Bond 20 - 28lb (65 - 105gsm)

Standard Output Tray Capacity: 50 Sheets (Face Down)

Input Materials: Plain Paper, Recycled Paper

#### CONSUMABLES

TK-1242: Toner Black for up to 1,500 pages
DK-1242: Drum Black for up to 10,000 pages
Starter toner: Black toner yield 700 pages
(Yield in accordance with ISO / IEC 19752)

**Electronic Office** 

NEW IDEAS. NEW SOLUTIONS.
330 Fairfield Road Fairfield, NJ 07004
www.eosnj.com PH: (973) 808-0100

Specifications and design are subject to change without notice. For the latest on connectivity visit kyoceradocumentsolutions.us, TASKalfa, Kyocera Net Viewer, Kyocera Device Manager, are trademarks of The Kyocera Companies. Mac OS is a trademark of Apple, Inc. Windows is a trademark of Microsoft, Inc. All other trademarks are the property of their respective owners.



KYOCERA Document Solutions America 225 Sand Road, PO Box 40008 Fairfield, New Jersey 07004-0008, USA Tel: 973-808-8444



kyoceradocumentsolutions.us

**Kyocera Document Solutions Partner**